

Alcohol Use Disorder Identification Test – Concise (AUDIT-C)


Patient Name: _____

Date of Birth: _____

General Instructions: The Alcohol Use Disorders Identification Test-Concise (AUDIT-C) is a brief alcohol screening instrument. Please give a response for each question.

1) How often do you have a drink containing alcohol?

- | | |
|--|---|
| <input type="checkbox"/> Never | <input type="checkbox"/> 2-3 times a week |
| <input type="checkbox"/> Monthly or less | <input type="checkbox"/> 4 or more times a week |
| <input type="checkbox"/> 2-4 times a month | |



2) How many standard drinks containing alcohol do you have on a typical day?

- | | |
|---------------------------------|-------------------------------------|
| <input type="checkbox"/> 1 or 2 | <input type="checkbox"/> 7 to 9 |
| <input type="checkbox"/> 3 to 4 | <input type="checkbox"/> 10 or more |
| <input type="checkbox"/> 5 to 6 | |

3) How often do you have six or more drinks on one occasion?

- | | |
|----------------------------------|--|
| <input type="checkbox"/> Never | <input type="checkbox"/> Less than monthly |
| <input type="checkbox"/> Weekly | <input type="checkbox"/> Daily or almost daily |
| <input type="checkbox"/> Monthly | |

Bush K, Kivlahan DR, et al (1998). The AUDIT alcohol consumption questions (AUDIT-C): An effective brief screening test for problem drinking. Ambulatory Care Quality Improvement Project (ACQUIP). Arch Intern Med. 158:1789-95.

DAST-10

Introduction

The Drug Abuse Screening Test (DAST-10) is a 10-item brief screening tool that can be administered by a clinician or self-administered. Each question requires a yes or no response, and the tool can be completed in less than 8 minutes. This tool assesses drug use, not including alcohol or tobacco use, in the past 12 months.

DAST-10 Questionnaire

I'm going to read you a list of questions concerning information about your potential involvement with drugs, excluding alcohol and tobacco, during the past 12 months.

When the words "drug abuse" are used, they mean the use of prescribed or over-the-counter medications/drugs in excess of the directions and any non-medical use of drugs. The various classes of drugs may include: cannabis (e.g., marijuana, hash), solvents, tranquilizers (e.g., Valium), barbiturates, cocaine, stimulants (e.g., speed), hallucinogens (e.g., LSD) or narcotics (e.g., heroin). Remember that the questions do not include alcohol or tobacco.

If you have difficulty with a statement, then choose the response that is mostly right. You may choose to answer or not answer any of the questions in this section.

| These questions refer to the past 12 months. | No | Yes |
|---|-----------|------------|
| 1. Have you used drugs other than those required for medical reasons? | 0 | 1 |
| 2. Do you abuse more than one drug at a time? | 0 | 1 |
| 3. Are you always able to stop using drugs when you want to? (If never use drugs, answer "Yes.") | 1 | 0 |
| 4. Have you had "blackouts" or "flashbacks" as a result of drug use? | 0 | 1 |
| 5. Do you ever feel bad or guilty about your drug use? If never use drugs, choose "No." | 0 | 1 |
| 6. Does your spouse (or parents) ever complain about your involvement with drugs? | 0 | 1 |
| 7. Have you neglected your family because of your use of drugs? | 0 | 1 |
| 8. Have you engaged in illegal activities in order to obtain drugs? | 0 | 1 |
| 9. Have you ever experienced withdrawal symptoms (felt sick) when you stopped taking drugs? | 0 | 1 |
| 10. Have you had medical problems as a result of your drug use (e.g., memory loss, hepatitis, convulsions, bleeding, etc.)? | 0 | 1 |

Interpreting the DAST 10

In these statements, the term "drug abuse" refers to the use of medications at a level that exceeds the instructions, and/or any non-medical use of drugs. Patients receive 1 point for every "yes" answer with the exception of question #3, for which a "no" answer receives 1 point. DAST-10 Score Degree of Problems Related to Drug Abuse Suggested Action.

| DAST-10 Score | Degree of Problems Related to Drug Abuse | Suggested Action |
|----------------------|---|------------------------------------|
| 0 | No problems reported | None at this time |
| 1–2 | Low level | Monitor, re-assess at a later date |
| 3–5 | Moderate level | Further investigation |
| 6–8 | Substantial level | Intensive assessment |
| 9–10 | Severe level | Intensive assessment |

Skinner, H. A. (1982). The Drug Abuse Screening Test. *Addictive Behavior*, 7(4), 363–371.

Cuestionario sobre la salud del paciente-2 (PHQ-2)

| Durante las <i>últimas 2 semanas</i> , ¿qué tan seguido ha tenido molestias debido a los siguientes problemas? | Ningún día | Varios días | Más de la mitad de los días | Casi todos los días |
|--|------------|-------------|-----------------------------|---------------------|
| 1. Poco interés o placer en hacer cosas | 0 | 1 | 2 | 3 |
| 2. Se ha sentido decaído(a), deprimido(a) o sin esperanzas | 0 | 1 | 2 | 3 |

Para codificación de oficina: _____ + _____ + _____ + _____

= *Puntuación total:* _____

CUESTIONARIO SOBRE LA SALUD DEL PACIENTE-9 (PHQ-9)

| Durante las últimas 2 semanas, ¿qué tan seguido le han afectado cualquiera de los siguientes problemas? (Marque con una “✓” para indicar su respuesta) | Para nada | Varios días | Más de la mitad de los días | Casi todos los días |
|---|-----------|-------------|-----------------------------|---------------------|
| | | | | |
| 1. Poco interés o placer en hacer las cosas | 0 | 1 | 2 | 3 |
| 2. Se ha sentido decaído(a), deprimido(a), o sin esperanzas | 0 | 1 | 2 | 3 |
| 3. Dificultad para dormir o permanecer dormido(a), o ha dormido demasiado | 0 | 1 | 2 | 3 |
| 4. Se ha sentido cansado(a) o con poca energía | 0 | 1 | 2 | 3 |
| 5. Con poco apetito o ha comido en exceso | 0 | 1 | 2 | 3 |
| 6. Se ha sentido mal con usted mismo(a) – o que es un fracaso o que ha quedado mal con usted mismo(a) o con su familia | 0 | 1 | 2 | 3 |
| 7. Ha tenido dificultad para concentrarse en cosas tales como leer el periódico o ver televisión | 0 | 1 | 2 | 3 |
| 8. ¿Se ha estado moviendo o hablando tan lento que otras personas podrían notarlo?, o por el contrario – ha estado tan inquieto(a) o agitado(a), que se ha estado moviendo mucho más de lo normal | 0 | 1 | 2 | 3 |
| 9. Ha pensado que estaría mejor muerto(a) o se le ha ocurrido lastimarse de alguna manera | 0 | 1 | 2 | 3 |

Para codificación de oficina: _____ + _____ + _____ + _____

=Puntuación total: _____

Si usted marcó cualquiera de estos problemas, ¿qué tan difícil fue hacer su trabajo, las tareas del hogar o llevarse bien con otras personas debido a tales problemas?

| Para nada difícil <input type="checkbox"/> | Un poco difícil <input type="checkbox"/> | Muy difícil <input type="checkbox"/> | Extremadamente difícil <input type="checkbox"/> |
|---|---|---|--|
|---|---|---|--|